

2/9




Fig. 1B




Fig. 1C




Fig. 2A




Fig. 2B



Fig. 2C

PD	HD	A/B	C	D	E/F
PAX8 DNA BINDING DOMAINS		PPAR γ NUCLEAR RECEPTOR DOMAINS			
<div>PAX8e7-PPARγel: AGA CCT ACC CCG TGG TGG CAG -- AAA TGA CCA TGG TTG ACA CAG</div> <div>PAX8e8-PPARγel: CGG GCC AGG CCC TCC TCT CAG -- AAA TGA CCA TGG TTG ACA CAG</div> <div>PAX8e9-PPARγel: CCA TCG CAG GCA TGG TGG CAG -- AAA TGA CCA TGG TTG ACA CAG</div>					

Fig. 3A

6/9




Fig. 3B




Fig. 3C




Fig. 4A


anti-PPAR γ anti-PPAR γ
+PPAR γ peptide

Fig. 4B

THYROID NEOPLASM	RT-PCR	IMH
Follicular Carcinoma	5/8	7/8
Follicular Adenoma	0/20	0/20
Papillary Carcinoma	0/10	0/10
Multi-nodular Hyperplasia	0/10	0/10

Fig. 4C




Fig. 5




Fig. 6A




Fig. 6B